

A close-up photograph of a circular speedometer. The needle is positioned between the 100 and 120 marks, specifically at the 109 mark. The scale is marked in increments of 20 from 0 to 240. The text "mi/h" is visible near the top of the scale. The number "109" is printed at the bottom of the gauge, and "4 in. 062117" is printed below it.

FACTURA DE VENTAS

TOTAL \$

povedadagoberto@gmail.com



**DECORACIÓN DE VEHÍCULOS
SEÑALIZACIÓN INDUSTRIAL - POLARIZADOS**

No. 27-23

17 03 23

NIT o C.C.

DIRECCIÓN:

REFERENCIA:

S.I.	P.F.
------	------

VALOR TOTAL

100	100
-----	-----

Printed

2. Сколько

 NEQUI

2

DAVIPLATA

314 393 7276

Bancolombia

Cuenta Ahorros 912-244079-77

FIRMA Y SELLO

TOTAL \$

100.000

ABONO \$**SALDO \$**

VENDEDOR

DESPUES DE 30 DÍAS NO SE RESPONDE POR ABONOS NI TRABAJOS

Calle 39 Sur No. 29 - 21 ☎ 322 843 4460 / 310 456 1936

SIGUENOS EN NUESTRAS REDES SOCIALES



E-mail: el.concord@hotmail.com - Bogotá, D.C.